



# 7906-501 MARCH 2022 Level 3 Advanced Technical Diploma in Site Carpentry (450)

Level 3 Site Carpentry – Theory exam (1)

If provided, stick your cand barcode label here.	1. 1. 4	Лonday 21 )9:30 – 12:0		022			
Candidate name (first, last)							
First							
Last							
Candidate enrolment number Date of birth (DDMMYYYY) Gender (M/F)							
Assessment date (DDMMYYYY)	Centre number		Candida	te sign	atur	e and o	declaration*

- If additional answer sheets are used, enter the additional number of pages in this box.
- 0 0
- Before taking the examination, **all candidates** must check that their barcode label is in the appropriate box. Incorrectly placed barcodes may cause delays in the marking process.
- Please ensure that you staple additional answer sheets to the **back** of this answer booklet, clearly labelling these with your full name, enrolment number, centre number and qualification number in BLOCK CAPITALS.
- All candidates need to use a **black/blue** pen. **Do not** use a pencil or gel pen, unless otherwise instructed.
- If provided with source documents, these documents **will not** be returned to City & Guilds, and will be shredded. Do not write on the source documents.
- \*I declare that I had no prior knowledge of the questions in this examination and that I will not divulge to any person any information about the questions.

### You should have the following for this examination

- a pen with blue or black ink
- a non-programmable calculator

#### **General instructions**

- This examination contains 23 questions. Answer all questions.
- **Section A** consist of **10** multiple-choice questions, each carrying 1 mark.
  - Indicate your response (a, b, c and d) in the space provided.
- Section B consist of 13 structured/short answer questions.
  - Answer the questions in the space provided.
  - The maximum marks for **each** question are shown in brackets.
- Cross through any work you do not want to be marked.

## +

#### **Section A**

- 1 What is the purpose of the Building Regulations?
  - a) To ensure that the construction workforce is safe during the building stage.
  - b) They are designed to further the conservation of fuel and power.
  - c) They are used to complete an energy performance certificate.
  - d) To provide fire protection for the building contractors.

Response:	

- 2 Where are glass wool batts **most** commonly used?
  - a) In cavity walls.
  - b) In solid walls.
  - c) In timber floors.
  - d) In concrete floors.

- Where a contract is advertised inviting qualifying bidders to submit a price 'for work', what name is given to this type of tender?
  - a) Open.
  - b) Closed.
  - c) Restricted.
  - d) Nominated.

Response:	

- 4 In relation to managing workflow, what does the abbreviation CPA mean?
  - a) Construction Products Association.
  - b) Computer Plotting Algorithms.
  - c) Controlled Planning Authority.
  - d) Critical Path Analysis.

D		
Response:		

- 5 Under what circumstances is a permit-to-work required?
  - a) When constructing stud partitions.
  - b) When working in a confined space.
  - c) When managing site transportation.
  - d) When erecting a mobile tower scaffold.

6	Wha	at is a benefit of using CAD over traditional hand produced drawings?
	a) b) c) d)	No specialist training required. Cheap set up and running costs. Amendments can be easily made. No specialist software is required.
	Res	ponse:
7	Wha	at would be the risk to timber ground floors if the airbricks were blocked?
	a) b) c) d)	Insect infestation. Weathering. Wet rot. Dry rot.
	Res	ponse:
8	Wha	at joint would be used when replacing a section of door jamb that has rotted at the foot?
	a) b) c) d)	Butt. Splice. Splint. Bridle.
	Res	ponse:
9	Wha	at document <b>must</b> be consulted before using a narrow bandsaw for the first time?
	a) b) c) d)	Health and safety policy.  Maintenance schedule.  Risk assessment.  Specification.
	Res	ponse:
10	Whe	en setting up a mortice machine, what is adjusted when cutting haunches?
	a)	Depth stop.



b) Outfeed table.

Response: \_

c) Auger clearance.d) Hollow chisel bush.

### **Section B**

1	List <b>three</b> sources of renewable energy.	(3 marks
2	State <b>four</b> pieces of information that can be found on a Gantt chart.	(4 marks
3	Give <b>two</b> examples of how to improve the environmental impact of an existing building that has been constructed using solid external walls.	(4 marks

waste? Show **all** your working out.

larch 2022	+
(4 marks)	
(2 marks)	

Des	cribe how the following information sources are used when preparing a quote.	
a)	Bill of Quantities.	(2 r
LA	December 1 In	(0
b)	Door schedule.	(2 r

14 An operative has been asked to calculate the linear metres required to lay traditional

floor boarding with a 115 mm face coverage. The floor measuring is  $4.2\,\mathrm{m}\,\mathrm{x}\,3.4\,\mathrm{m}$ . How many linear metres are required to cover the floor allowing an additional 5% for

c)

Drawings.

(2 marks)

	ne <b>two</b> factors that can cause deterioration to an externally positioned timber or frame.	(2 m
Exp	lain the benefits of planned maintenance for a building.	(4 m
In re be c a)	elation to woodworking machinery, state the relevant documentation that should consulted to provide guidance on safe working practices, for <b>each</b> of the following.  Dust.	(1 n
be c	consulted to provide guidance on safe working practices, for <b>each</b> of the following.	(1 n
be d	consulted to provide guidance on safe working practices, for <b>each</b> of the following.  Dust.	

19	State the sequence of operations required to change the saw blade on a ripsaw.	(O Marks
20	Explain the importance of training woodworking machining operatives.	(4 marks

_	7906-501

21 March 2022

21	a)	Why should a push stick be a <b>minimum</b> of 450 mm in overall length?	(2 marks)
			_
	b)	Why should a push stick have a birds mouth notch at its leading edge?	  (2 marks)
	IJj	wity should a push stick have a birds mouth noterial its leading edge:	(2 IIIdi K5)
22	Des	scribe how poor housekeeping directly affects the use of a thicknesser.	(3 marks)
			_
			_