



# Carpentry & Joinery Apprenticeship Standard Updates

Jason Howe- Technical Advisor Construction & the Built Environment

August 2024

### Agenda

1 Introductions

2 Media

3 New C&J Apprenticeship Standard inc. version differences

4 New C&J EPA Resources and Portfolio of evidence

5 New C&J Assessments, Grading and Summary

6 New Craft C&J Apprenticeship Standard inc. version differences

7 New Craft C&J EPA Resources and Portfolio of evidence

8 New Craft C&J Assessments, Grading and Summary

9 Working with us

10 The future for Construction

11 Q & A



## Construction & the Built Environment Team

City & Guilds provide unrivalled support to our customers. To the right is a small selection of the support on offer to providers, employers and stakeholders.

The Construction team continue to go from strength to strength including our developing offer.





Janice Collins
EPA Partnership Manager
M. 07872 463 170
E.Janice.Collins@cityandguilds.com



Jason Howe Technical Advisor M. 07912 042313 E.Jason.Howe @cityandguilds.com



Laura Harrap
Lead Business Manager- Yorkshire
M. 07703 806875
E.Laura.Harrap@cityandguilds.com



Richie West
Industry Manager
M. 07872 463 185
E.Richie.West@cityandguilds.com



Nick Taylor Product Manager M. 07710 305 571 E.Nick.Taylor@cityandguilds.com

### Social Media and platforms

The Construction Team is operational over a number of social media, platforms, channels and are contactable by a central email address.




#### **Construction Email**

Construction has a central email address that links to the Technical Advisors and Industry Manager. The email address is construction@cityand quilds.com



#### LinkedIn

As well as each
Construction Team
member being on
LinkedIn, the
Construction Team
have their own
LinkedIn Construction
group that has over
380 members. TO join
the group search City
& Guilds Construction
or follow this linkhttps://www.linkedin.c
om/groups/13628606/



#### Webpages

You can find all the information you will need on all City & Guilds Construction products on our Construction webpages. We also have key information and updates in our bulletin section. You can visit our website here.



#### **Eventbrite page**

Construction has its own Eventbrite page. Our regional networks are shared via the page. Here is a link to the page-https://www.eventbrite.co.uk/o/city-and-guilds-construction-

team-17717289917




### Go to Webinar Channel

Construction have our very own Go to Webinar Channel. All our webinars, excluding Wales are stored on the channel.

Here is a link to the GtW channelhttps://www.gotostage .com/channel/constru ction

### Website



### New Carpentry & Joinery Apprenticeship Standard (L2) 9078-31

Version 1.3

19.08.2023 - Present

New Carpentry & Joinery Apprenticeship Standard v1.3 9078-31

### **Overview**

Status	Reference	Version
Approved	ST0264	1.3
Level	Duration (GW)	EPA Period
2	24 months (Typical)	3 months (Typical)
Funding	Route	Date updated
£13000	CBE	19.08.2023
Approved	Lars code	EQA provider
26.03.2015	239	Ofqual

### **Assessment**


Knowledge MCQ Test Practical w/Q Interv



## Key differences between v1.2 and v1.3


Topic	Version 1.2 (9078-21)	Version 1.3 (9078-31)
Dates	27.01.2023 - 18.08.2023	19.08.2023 - present
Duration	24 months	24 months
Funding	£11,000	£13,000
Gateway	Portfolio of evidence	Portfolio of evidence
Duties	7 + (3 Carpentry / 4 Joinery)	11 per trade (8+3)
Knowledge	21	40
Skills Carpentry	17	22 (13+9)
Skills Joinery	17	21 (13+8)
Behaviours	7	5
Grading	F,P,D	F,P,M,D
Assessment days (1:4)	1 day (without interview)	2 days (without interview)
Practical duration	7 hours + 4 questions	12 hours + 10 questions
Interview duration	45 mins (+10%) (10 questions)	60 mins (+10%) (10 questions)

### 9078-31 Documents on Website



Access the webpage <u>here</u>.


### **EPA Pack**







### Resource Pack



The roof trusses and walls shown below **must** be pre-built by the TP. They have been designed for easy assembly and can be reused for as long as they remain fit for purpose.

Other materials and hardware may be reused/recycled, as appropriate, but **must** be in good condition.

Plywood fascia **must** be cut to width and the 6 mm x 6 mm soffit groove cut by the TP. Bargeboard, soffit, ridge, ledger and bracing **must** be cut to width by the TP.

#### Please note

- . All resources must be in place before the start of the EPA.
- . All tools, materials and rigs must be checked by TP staff before the start of the EPA.
- If resources are not up to the required standard, the EPA may have to be rescheduled.

#### Tools and equipment

- . A good set of site carpentry tools must be available for each apprentice.
- The list below is intended to highlight specific tools essential for this EPA; other appropriate tools may be used.
- Apprentices may use their own tools providing they are in good condition and meet any relevant safety requirements.
- Apprentices must be fully trained and competent in the use of all of the tools to be used on the day of the assessment.
- All power tools must be in good working order, including guards, fences, adjustment controls, tooling, etc.
- · All power tools must meet current health and safety requirements.
- All use of power tools must include appropriate dust control measures, in line with current regulations and manufacturer's instructions.

#### Essential power tool and tooling checklist

1	Item	Notes	Ratio <sup>1</sup>
	Mitre saw/chop saw	Must be capable of cutting 225 mm at 90 degrees and 175 mm at 30 degrees	1 to 2
	Battery drill-driver	With suitable driver bits	1 to 1
	Small router/edge trimmer		1 to 2
	Track/rail saw	A small handheld circular saw with straight edge may be used	1 to 4
	Framing (1st fix) nail gun		1 to 2
	10 mm straight router cutter	This must be in good condition with no chips or resin build- up	1 to 2
	75 mm diameter hole saw		1 to 4
	Hinge router jig (76 mm)	tandig companies and by promiting and applications of the property of the prop	1 to 4
	Drill bits	Selection of woodworking drill bits from 3 mm to 10 mm diameter	1 to 1
9	Countersink bit		1 to 1

#### Architectural joinery set-up

#### Work area

- A machine shop with the fixed machines listed below must be available at the EPA venue.
- A bench must also be provided for each apprentice either in, or adjacent to the machine shop. The bench should be suitable for drawing the rod, assembly and finishing of a substantial window frame.
- Sufficient machinery and space must be available to allow apprentices to plan their workflow without significant delays or disruption. This may limit the number of apprentices that can be assessed in your workshop in a single session.
- Please speak to a City & Guilds Technical Advisor if you have any questions.
- · Equipment for sharpening hand tools must be available.

#### Materials

- A setting-out board must be provided; this must be clean, square and flat. 12 mm MDF is recommended. Minimum dimensions are 1000 x 900 mm.
- Good quality joinery redwood with minimal knots should be provided for this practical EPA.
- All materials should be checked before the EPA by the TP. Any warped or damaged sections should be replaced before the EPA begins.
- Quantities shown in the table below are for one apprentice to complete this activity, assuming no mistakes are made. A substantial amount of extra stock should be prepared before the EPA to allow for mistakes, damage, etc.
- Frame sections must be machined by the TP, including dimensioning the section and cutting the rebates. The finished sections should be square and accurate to within +0.5 mm
- Sash sections will be machined and rebated by the apprentice during the EPA from sawn joinery redwood provided by the TP.

#### Please note:

- . All resources must be in place before the start of the EPA.
- All machinery tools and materials must be checked by TP staff before the start of the EPA.
- If resources are not up to the required standard, the EPA may have to be rescheduled.

### New- Knowledge Test handbook

The way the knowledge is covered by each test is laid out in the tables below:

Test Specification – Site Carpenter (Unit 205)

Carpentry and Joinery Standard

Number of Questions

K1 Awareness of health and safety regulations, standards, and guidance and

K1 Awareness of health and safety regulations, standards, and guidance and impact on role. Control of Substances Hazardous to Health (COSHH). Fire safety. Health and Safety at Work Act. Asbestos awareness. Manual handling. Signage. Fire extinguishers. Safety signage. Situational awareness. Slips, trips, and falls. Working in confined spaces. Working at height. Provision and use of work equipment regulations (PUWER) and Electrical safety.

K3 Safe systems of work: Site inductions, toolbox talks, risk assessments, method statements and hazard identification in the work area.

K5 Principles of building and modern methods of construction: Foundations, roofs, walls, damp proof courses, floors, timber frame, structurally insulated panels (SIPS), utilities and services, internal plaster finishes, insulation, fire protection, moisture and air protection and quality of materials.

K6 Basic principles of digital design and modelling systems.

K9 Materials and their characteristics of home grown and imported timber and timber-based products. Natural timber products: hardwood and softwood. Manufactured timber products: board, laminated timber and carcassing.

K10 Timber decay and repair methods: Timber moisture content parameters for a range of timber and timber-based materials, wet rot and dry rot, and insect attack.

K11 Carpentry and joinery products and purpose: Mastics, preservatives, wood fillers, plastics and ironmongery.

K14 Hand tool use and storage methods and techniques: Chisels, planes, hand saws, hammers, squares, tri-square, bevels, marking and mortise gauges, spirit levels.

K17 Power tools use and storage methods and techniques: Portable circular saws, drills, saws, planers, routers, sanders, multi-functional tools and nail

K26 Site carpentry: Flat roofs: Warm and cold flat roofs including firings and coverings.

K40 Employment types (self-employed and employed), small business start-up principles and tax.

K3

2

6

40

Total

Safe systems of work: Site inductions, toolbox talks, risk assessments, method statements and hazard identification in the work area.

Topic	Content What needs to be covered
3.1 Site inductions	3.1.1 Purpose of site inductions  a) Collective responsibilities  b) Individual responsibilities  c) Legal compliance  d) Accessible health and safety (H&S) information  e) Safe working environment  f) Hazard identification and reporting  g) Familiarity with the site (welfare facilities, first aid stations)  h) Familiarity with key personnel (safety representative, welfare representative)  i) Identification and control of collective and personal protective measures
3.2 Toolbox talks	3.2.1 Purpose of toolbox talks  a) Safe methods of work (risk assessment and method statement review)  b) Chain of command (highlighting)  c) Scheduling  d) Hazard identification  e) Accident prevention  f) Project relevant training by competent person
3.3 Risk assessments	3.3.1 Purpose of risk assessments     a) To create a safer and healthier workplace by identifying hazards. Assessing and removing or reducing the level of risk by implementing control measures, which are regularly recorded and reviewed
3.4. Method statements	a) To explain a step-by-step system for safe use of tooling and work equipment b) To identify hazards and mitigate risks c) To enable guidance for the correct methods/techniques of work and production without direct supervision
3.5 Hazard identification	a) To identify risks to health and safety and their associated hazards b) To communicate risks to all involved c) To develop safe systems of work and method statements d) To create action plans (risk assessment schedules) providing a monitoring system for hazards  3.5.2 Common hazards and actions to take a) Blocked access-egress

#### Supporting information

End-point Assessment Plan ST0264 Version 1.3:

 $\underline{\text{https://www.instituteforapprenticeships.org/apprenticeship-standards/carpentry-and-joinery-}\underline{v1-3}$ 

Suggested learning resources:

Smartscreen resources

https://www.cityandguilds.com/what-we-offer/centres/digital-platforms-and-solutions/digital-learning#level-2-carpentry-qualifications

**Books** 

The City & Guilds Textbook: Site Carpentry and Architectural Joinery for the Level 2 Apprenticeship (6571), Level 2 Technical Certificate (7906) & Level 2 Diploma (6706) by Stephen Jones, Stephen Redfern and Colin Fearn; Hodder Education; 27 September 2019

Websites

www.hse.gov.uk

https://www.nhbc.co.uk

https://www.labc.co.uk

### Portfolio of evidence

The apprentice must compile a portfolio of evidence during the onprogramme period of the apprenticeship.

- It will typically contain 10 discrete pieces of evidence.
- Evidence must be mapped against the KSBs.
- Evidence may be used to demonstrate more than one KSB; a qualitative as opposed to quantitative approach is suggested.

### **Evidence sources may include:**

- workplace documentation and records, for example:
- workplace policies and procedures
- witness statements
- annotated photographs
- video clips (maximum total duration 10 minutes); the apprentice must be in view and identifiable

This is not a definitive list; other evidence sources can be included. Note-

- No reflective accounts or self-assessment
- Employer contributions focus on observation and not opinion
- Evidence to be valid and attributable to the apprentice with a statement from the employer and apprentice to confirm this
- EPAO will not assess, verify or quality assure the evidence/portfolio



- It is understood that some skills in this apprenticeship are used less often but are still required for overall occupational competence. Some apprentices may not get sufficient opportunity to apply the full range of required skills in the workplace during the on-programme period of the apprenticeship. Therefore, a flexibility has been included in this EPA plan, allowing certain skills-based evidence to be captured in a simulated environment, for example, at the employer's or training provider's premises.
- Allowing evidence from a simulated environment ensures at there is a fair opportunity for apprentices to gather skills-based evidence for the portfolio of evidence. This is where opportunities to collect evidence in the workplace are not available.
- Any simulated evidence must reflect the apprentice's usual work and be fully transferable to the workplace. The portfolio must include a statement from the employer or training provider confirming that the evidence provided from a simulated environment is entirely attributable to the apprentice.
- For this apprenticeship, the apprentice must collect evidence from the workplace. However, if
  authentic workplace opportunities are not available for all the numbered elements or products
  from the skills outlined below, some of the numbered elements or products may be captured
  in a simulated environment, in line with the numbers noted below for each skill. Every effort
  should be made for the apprentice to access workplace evidence for all elements or products
  in the skills below before this flexibility is applied.



#### Site Carpentry

#### Site Carpenter S14

Site carpenter: Apply first fix techniques and practices for: 1. structural carcassing, 2. straight timber or metal partition walls, 3. floor joists 4. floor joist coverings, 5. straight flights of stairs.

The apprentice is required to provide workplace evidence for a minimum of any 4 numbered elements from the above list. The remaining numbered element may be provided via simulated evidence.

#### Site Carpenter S17

Site carpenter: Apply site second fix techniques and practices for: 1. service encasement, 2. cladding 3. wall and floor units and fitments, 4. handrails and spindles to straight flights of stairs, 5. internal and external doors, 6. skirting boards and architrave, 7. window boards.

The apprentice is required to provide workplace evidence for a minimum of any 5 numbered elements from the above list. The remaining 2 numbered elements may be provided via simulated evidence.

#### Architectural Joiner S28


Architectural joiner: Apply manufacture and assembly techniques for second fix products: 1. timber doors, 2. wall and floor units, 3. timber mouldings, 4. staircase spindles and balustrades.

The apprentice is required to provide workplace evidence for a minimum of any 3 numbered products from the above list. The remaining numbered product may be provided via simulated evidence.



#### Simulated environments must:

- afford the apprentice the opportunity to capture sufficient evidence to underpin the grading descriptors for the specific skill being targeted
- have a specification of defined tasks for the apprentice to complete (or an equivalent structure or format)
- replicate normal working conditions and the naturally occurring activities the apprentice would have likely undertaken in the workplace, as far as practicable (including time pressures, considerations, resources, materials, tools, information, interactions, communication media, lighting, noise and hazards they would reasonably encounter in employer or customer premises)
- allow each apprentice to demonstrate their competence on an individual basis



### New Carpentry & Joinery Assessment Plan

#### Knowledge exam assessment-

- Controlled and invigilated environment
- Closed book
- Multi choice questions
- 40 questions
- 60 minutes
- Graded Fail, Pass, Distinction
- The apprentice must be given at least 14 days' notice of the date and time of the multiple-choice test.

### Practical assessment with questions-

- IEPA Assessor observed
- 12 hours over 2 days
- Min 10 questions
- Graded- Fail, Pass, Distinction
- Carpentry- Construction of a straight gable roof containing traditional cut rafters and ceiling joists, roof trusses and installation of a hinged upward opening loft hatch.
- Joinery- Production of a soft wood window frame with hinged storm proof or flush window casement. The minimum opening size of the window is to comply with means of escape size requirement.

You can access the L2 C&J Assessment plan <u>here</u>



### Interview underpinned by portfolio of evidence

- IEPA delivered (virtually)
- 14 days notice of EPA Interview
- The independent assessor must have at least 2 weeks to review the supporting documentation.
- 10 questions
- 60 minutes (can be increased by 10%)
- Graded- Fail, Pass, Distinction
- The apprentice must have access to their portfolio of evidence during the interview
- The apprentice can refer to and illustrate their answers with evidence from their portfolio of evidence however, the portfolio of evidence is not directly assessed.

## Carpentry & Joinery EPA Grading

### **MCQ** Test

Grade	Min Marks	Max Marks
Fail	0	24
Pass	25	32
Distinction	33	40

### Overall

MCQ Test	Practical w/Questions	Interview w/portfolio	Overall
Any grade	Any grade	Fail	Fail
Any grade	Fail	Any grade	Fail
Fail	Any grade	Any grade	Fail
Pass	Pass	Pass	Pass
Pass	Distinction	Pass	Pass
Distinction	Pass	Pass	Pass
Pass	Pass	Distinction	Pass
Distinction	Pass	Distinction	Pass
Distinction	Distinction	Pass	Merit
Pass	Distinction	Distinction	Merit
Distinction	Distinction	Distinction	Distinction

### Re-sits and Re-takes

- If a learner fails one or more assessment methods then they can re-sit or re-take those assessment methods.
- Re-sit/re-take has to be agreed by employer
- Re-sit no further learning required
- Re-take- further learning required
- Action plans required for apps to prepare for resit/re-take
- Re-sit is typically completed within 2 months of EPA outcome.
- Re-take is typically taken within 4 months of EPA outcome (depending on re-training requirements)
- Failed assessment methods must be taken within 6 months of EPA outcome notification, otherwise entire EPA will need to be re-taken in full
- Re-sits/re-takes not available for apprentices to improve on pass grades to higher grades.
- Maximum EPA grade of pass for re-sits/re-takes



### V 1.3 Level 2 Carpentery and Joinery assessment overview

9078-31

1

#### **On-programme**

Typically 24 months before gateway assessment approach

Generic/technical knowledge and skills

Off the job training English and maths

(Level 1 & L2 taken)

Application of knowledge, skills and behaviours

On the job training and assessment

Development of portfolio of evidence to
demonstrate the KSBs that will be assessed by
oral questioning.

(typically, 10 pieces of discrete pieces of evidence)

Complete typically in last 10 months of apprenticeship

NEW version went live 15th July



### Assessment gateway

Gateway sign off from employer and provider.

Gateway sign off from employer and provider: Trainee demonstrating competency consistently at or above the occupational standard.

Portfolio of evidence complete English and Maths certificate

### **Apprenticeship completion**

Grades = P/M/D

Resit available to pass grade only and must be taken within a six- month period - if not retake all



#### **End-point assessment**

Fully coordinated and delivered by an independent end-point assessment organisation

#### Knowledge test (eVolve)

40 m/c questions (60 mins)
Maximum 30 candidates
Remote Invigilation available
Min marks- Pass 25 Distinction 33

#### Practical skills test

12 hours (+10% per task, if needed) over two day. Ten oral questions. Pass/Distinction

Assessor ratio 1:4

### Interview questioning underpinned by portfolio

Min 10 oral questions covering knowledge, skills and behaviours (60 mins) +10% if needed. P/D

(Remote video conferencing)

Complete within 6 months of reaching gateway

New Craft Carpentry & Joinery Apprenticeship Standard (L3) 9079-31

Version 1.2

19.08.2023 - Present

### New Craft Carpentry & Joinery Apprenticeship Standard v1.2 9079-31

### **Overview**

Status	Reference	Version
Approved	ST0263	1.2
Level	Duration (GW)	EPA Period
3	15 months (Typical)	3 months (Typical)
Funding	Route	Date updated
£13000	CBE	19.08.2023
Approved	Lars code	EQA provider
27.02.2018	240	Ofqual


### **Assessment**



## Key differences between v1.1 and v1.2

Topic	Version 1.1 (9079-21)	Version 1.2 (9079-31)
Dates	21.05.2021 - 18.08.2023	19.08.2023 - present
Duration (Typically)	15 months	15 months
Funding	£11,000	£13,000
Gateway	Portfolio of evidence + FD	Portfolio of evidence + FD
Duties	9 + (4 Carpentry / 5 Joinery)	13 + (5 Carpentry / 6 Joinery)
Knowledge	26	21 + (7 Carpentry / 6 Joinery)
Skills Carpentry	18	19
Skills Joinery	18	19
Behaviours	7	6
Grading	F,P,D	F,P,M,D
Assessment days (1:4)	1 day (without interview)	2 days (without interview)
Practical duration	7 hours + 4 questions	12 hours + 6 questions
Interview duration	75 mins (+10%) (10 questions)	90 mins (+10%) (10 questions)

### 9079-31 Documents on Website 2<sup>nd</sup> September 2024



Access the webpage <u>here</u>.


### **EPA Pack**




. Assessment Instructions: 305/306 Multiple-choice test (Craft Site Carpenter/Craft Architectural Joiner)

**Assessment Specification** 

Description	Coverage	Grade
Knowledge based questions delivered online through the e-volve platform	Knowledge: (Core) K1, K2, K6, K8. K9. K10. K13, K14, K15 (Craft Site Carpenter) K27 (Craft Architectural Joiner) N/A Skills: (Core) S5	X/P/D





### Resource Pack

#### Task 1 Craft Site Carpenter set-up requirements

#### Work area (for each apprentice)


- The work area must include a level floor and at least one wall (as shown in the Level 3 Practical Assessment: Craft Site Carpenter set-up diagram below)
- Bays built for 9079-21 may be used for 9079-31 but the small wall with door opening at the front of the bay must be removed
- . A clear working area must be provided in front of the build area
- Overall dimensions may vary slightly; please speak to a City & Guilds Technical Advisor if your set-up will be significantly different to the 9079-31 Level 3 Practical Assessments Craft Site Carpenter set-up diagram
- · Equipment for sharpening hand tools must be available.

#### Material requirements

- Two new hollow internal doors must be provided for each apprentice. Spare doors should be available in case of apprentice error or damage.
- CLS should be new. However, a stock of recycled short lengths may be provided for items such as noggings. These must be free from fixing holes and other defects.
- Door linings should be new. These should be checked just prior to the EPA and any warped, cupped or otherwise unsuitable sections replaced.
- Unless otherwise specified, good quality softwood (S/W) should be provided for the assessment.

#### Please note:

- . All resources must be in place before the start of the practical assessment.
- All tools, materials and rigs must be checked by appropriate staff before the start of the practical assessment.
- If resources do not meet the required standard, the practical assessment may have to be rescheduled.



### Level 3 Craft Site Carpenter Practical Assessment: Materials, Tools and Equipment Checklist

The checklists below provide details to ensure the materials, tools and equipment requirements are met by the EPA customer for this practical assessment.

Ma	Materials checklist		
~	Item	Requirements	
	Hollow internal door (1981 x 610 mm)	2 per apprentice Flush or moulded.	
	CLS studding	18 per apprentice 63 x 38 x 2400 mm.	Ť.

#### Note

- The quantities shown below are the minimum required for one apprentice to complete one structure
- Extra materials should be added to the overall stock to allow for mistakes or damage
- Lengths shown for these items are the minimum needed for any given version. You may leave lengths longer to suit standard available sizes (eg. 2440 or 2400 mm) as the apprentice will be required to cut to finished length during the practical assessment.

Double door lin	ng 1 set per apprentice (3 lengths) 27.5 x 94 mm (S/W)  • Thickness +/- 2.5 mm
	May be purchased or produced in house
	<ul> <li>The apprentice will form the housing joints during the assessment: the head section must either have no pre- formed housing or may be purchased longer than required and cut to length to remove housings.</li> </ul>
Stop batten	3 per apprentice 12 x 32 x 2100 mm (S/W).
Bullnose skirtin	1 per apprentice 15 x 95 x 3000 mm (S/W NOT MDF).
Bracing	1 per apprentice 100 x 18 x 2400 mm (or similar dimensions, any suitable material may be used).

#### Tools and equipment

- Site carpentry tools must be available for each apprentice in good working order.
- The list below is intended to highlight specific tools essential for this practical assessment, other appropriate tools may be used.
- Apprentices may use their own tools provided they are in good working order and meet any relevant safety requirements.
- Apprentices must be fully trained and competent in the use of all the tools to be used on the day of the assessment.

### New- Knowledge Test handbook

#### 1 Assessment

The apprentice needs to pass the Multiple-choice Knowledge Test as part of their apprenticeship. The test consists of 40 multiple choice questions. The apprentice will have 70 minutes to complete the test. The apprentice will take the test in a suitably controlled environment in the presence of an invigilator. The invigilator may be sourced from the employer but will be approved by City & Guilds and must operate according to the JCQ guidance.

The way the knowledge is covered in each test is detailed in the tables below.

#### Test specification - Craft Site Carpenter (Unit 305)

(As part of the Level 3 Craft Carpentry and Joinery standard)

Standard	Number of questions
K1: Awareness of health, safety and welfare regulations, standards, and guidance and impact on role of the team and other construction trades. Employer and employee responsibilities. Control of Substances Hazardous to Health (CoSHH). Fire safety and Fire door legislation. Health and Safety at Work Act. Asbestos awareness. Manual handling. Signage and notices. Fire extinguishers. Situational awareness. Slips, trips, and falls. Working in confined spaces. Working at height. Electrical safety. Reporting injuries, diseases and dangerous occurrences regulations (RIDDOR), Provision and use of work equipment regulations (PUWER) & near miss reporting.	4
K2: Types incidents - accidents, near misses. Mitigation methods. Incident management techniques.	2
K6: The principles of building construction: Fire safety, fire doors and linings, fire stopping, water ingress. Staircases, security requirements for external doors and windows. Vapour barriers, breathable membranes and sound proofing.	5
K8: Resource quantity calculation techniques, costing, wastage and recycling allowance.	2
K9: The importance and considerations of the environment: U values, R Values, thermal bridging, airtightness, acoustic performance and thermal performance requirements of carpentry and joinery components.	4
K10: Standards and regulations associated with carpentry and joinery: British standards, building regulations, warranty provider standards.	1
K13: Different energy efficiencies of insulation products and common construction methods sustainable principles associated with timber, manufactured timber-based products and associated materials.	4
K14: Purpose and use of digital design and modelling systems in carpentry and joinery.	2
K15: The principles of heritage building, considerations, like for like replacement and other techniques applicable to the carpenter and joiner.	4
K27: CSC: Carpentry maintenance and repair techniques: External doors and frames, structural timbers, sash window cords, timber guttering and fixings, window frames and glazing.	8
\$5: Calculate resource and cost quantities from site measurements.	4

#### K6 Core

The principles of building construction: Fire safety, fire doors and linings, fire stopping, water ingress. Staircases, security requirements for external doors and windows. Vapour barriers, breathable membranes and sound proofing.

Topic	Content What needs to be covered			
6.1 Fire safety, fire doors and linings and firestopping	6.1.1 Purpose of fire safety, fire doors and linings and firestopping in building construction  • Prevents the spread of fire, smoke and heat within buildings, acting as barriers, to allow occupants to evacuate safely and protecting adjacent areas.			
	6.1.2 Main regulation and the overarching requirements relating to fire safety, fire doors, linings and fire stopping  a) The Building Regulations - Approved Document Part  B.			
	6.1.3 Methods and requirements when installing fire doors, lining and firestops in carpentry and joinery applications			
	a) Fire resistant and fire suppressant materials (sequence of application)			
	b) Fire door selection, configuration and location			
	c) Fire door ratings (FD ratings, labels)			
	<ul> <li>Fire rated hardware/ironmongery (hinges, push and kickplates, panic bars and buttons, locks and latches, fire papers and boards)</li> </ul>			
	<ul> <li>Fire rated resistant linings (fire resistant plasterboard, fireproof panels, fire/smoke gas seals, intumescent strips, cold smoke seals, intumescent</li> </ul>			
	sealants/mastics, foams, char barriers and paints)			
	f) Minimum gap tolerances			
	g) Minimum thickness, density and width of door h) Glazed and other apertures			
	i) Fixings			
	Fire stoppers (fire collars, fire pillows, fire paper, intumescent paper, sealants, mastics).			
	<ul> <li>Fire rated insulation materials, uses, resistance and treatments.</li> </ul>			
6.2 Water ingress	When water from the outside makes its way into a building, causing damage and compromising safety (both structural and health).			
	6.2.2 Main regulation and the overarching requirements relating to water ingress			
	a) Building Regulations – Approved Document Part C.      6.2.3 Causes			
	a) Poor workmanship b) Poor design			
	c) Incorrect materials			

#### Supporting information

#### Suggested learning resources

End-point Assessment Plan ST0263 Version 1.2:

https://www.instituteforapprenticeships.org/apprenticeship-standards/advanced-carpentry-and-joinery/

#### Books

- Brett, P. (2010) Carpentry and Joinery. Nelson Thornes.
- . Hasluck, P.N. (2010) Carpentry and Joinery. Tools for Working Wood.
- · Hodgen, F.T. (2005) Modern Carpentry. Drake
- O'Connor, J.J. (2009) Geometrical drawing. Gill Education.
- Redfearn, S., Jones, S., Burdfield, M. and Fearn, C. (2020) The City & Guilds Textbook: Site Carpentry and Architectural Joinery for the Level 3 Apprenticeship (6571), Level 3 Advanced Technical Diploma (7906) & Level 3 Diploma (6706). Hodder Education.

#### Websites

- HSE www.hse.gov.uk
- . Building Regulations www.gov.uk/building-regulations-approval
- · Approved Documents www.gov.uk/government/collections/approved-documents
- NHBC Standards https://nhbc-standards.co.uk/
- Historic England https://historicengland.org.uk/
- . English Heritage www.english-heritage.org.uk
- · Institute of Carpenters www.instituteofcarpenters.com
- · British Woodworking Federation www.bwf.org.uk
- · The National Association of Shopfitters www.shopfitters.org
- The Carpenters' Company www.carpentersco.com
- T Level Technical Qualification Onsite Construction www.cityandguilds.com/qualifications-andapprenticeships/construction/construction/8711-t-level-technical-qualification-in-onsiteconstruction#tab=information

### Portfolio of evidence

The apprentice must compile a portfolio of evidence during the onprogramme period of the apprenticeship.

- It will typically contain 15 discrete pieces of evidence.
- Evidence must be mapped against the KSBs.
- Evidence may be used to demonstrate more than one KSB; a qualitative as opposed to quantitative approach is suggested.

### **Evidence sources may include:**

- workplace documentation and records, for example:
- workplace policies and procedures
- witness statements
- annotated photographs
- video clips (maximum total duration 10 minutes); the apprentice must be in view and identifiable

This is not a definitive list; other evidence sources can be included. Note-

- No reflective accounts or self-assessment
- Employer contributions focus on observation and not opinion
- Evidence to be valid and attributable to the apprentice with a statement from the employer and apprentice to confirm this
- EPAO will not assess, verify or quality assure the evidence/portfolio



- It is understood that some skills in this apprenticeship are used less often but are still require
  for overall occupational competence. Some apprentices may not get sufficient opportunity to
  apply the full range of required skills in the workplace during the on-programme period of the
  apprenticeship. Therefore, a flexibility has been included in this EPA plan, allowing certain
  skills-based evidence to be captured in a simulated environment, for example, at the
  employer's or training provider's premises.
- Allowing evidence from a simulated environment ensures at there is a fair opportunity for apprentices to gather skills-based evidence for the portfolio of evidence. This is where opportunities to collect evidence in the workplace are not available.
- Any simulated evidence must reflect the apprentice's usual work and be fully transferable to the workplace. The portfolio must include a statement from the employer or training provider confirming that the evidence provided from a simulated environment is entirely attributable to the apprentice.
- For this apprenticeship, the apprentice must collect evidence from the workplace. However, if
  authentic workplace opportunities are not available for all the numbered elements or products
  from the skills outlined below, some of the numbered elements or products may be captured
  in a simulated environment, in line with the numbers noted below for each skill. Every effort
  should be made for the apprentice to access workplace evidence for all elements or products
  in the skills below before this flexibility is applied.



### Site Carpentry

#### Site Carpenter S16

Apply craft site carpentry techniques and practices to install complex second fix elements: 1. bespoke wall and floor units (commissioned order with features or like for like replacement), 2. worktops with mason's mitre, 3. cornices and fitments, 4. spindles and handrails to stairs with turns, 5. fire doors. 6. service encasements with access panels, 7. non-standard (non-90 degree) door linings.

The apprentice is required to provide workplace evidence for a minimum of any 5 numbered elements from the above list. The remaining 2 numbered elements may be provided via simulated evidence.

### Site Carpenter S14

Apply craft site carpentry techniques and practices to install complex first fix elements: 1. fire door linings, 2. floor coverings with non-standard (non – 90 degree) returns and 3. structural partitions.

The apprentice is required to provide workplace evidence for a minimum of any 2 numbered elements from the above list. The remaining 1 numbered element may be provided via simulated evidence.



#### **Architectural Joinery**

Architectural Joinery S24

Apply craft architectural joinery techniques and practices to manufacture and assemble complex timber second fix products: 1. fire doors 2. shaped, non-standard doors 3. bespoke wall and floor units (commissioned order with features or like for like replacement).

The apprentice is required to provide workplace evidence for a minimum of any 2 numbered products from the above list. The remaining 1 numbered product may be provided via simulated evidence.

#### Architectural Joinery S25

Apply craft architectural joinery techniques and practices to manufacture and assemble complex timber first fix products: 1. staircases with turns, 2. fire door linings, 3. bespoke windows with non-standard (non – 90 degree) angles, 4. shaped, non-standard door linings.

The apprentice is required to provide workplace evidence for a minimum of any 3 numbered products from the above list. The remaining 1 numbered product may be provided via simulated evidence.

### Architectural Joinery S22


Set up and use CNC machinery to produce joinery products.

Evidence for this skill in its entirety (S22) may be provided via simulated evidence if workplace evidence is not available.



#### Simulated environments must:

- afford the apprentice the opportunity to capture sufficient evidence to underpin the grading descriptors for the specific skill being targeted
- have a specification of defined tasks for the apprentice to complete (or an equivalent structure or format)
- replicate normal working conditions and the naturally occurring activities the apprentice would have likely undertaken in the workplace, as far as practicable (including time pressures, considerations, resources, materials, tools, information, interactions, communication media, lighting, noise and hazards they would reasonably encounter in employer or customer premises)
- allow each apprentice to demonstrate their competence on an individual basis



### New Craft Carpentry & Joinery Assessment Plan

#### Knowledge exam assessment-

- Controlled and invigilated environment
- Closed book
- Multi choice questions
- 40 questions
- 70 minutes
- Graded Fail, Pass, Distinction
- The apprentice must be given at least 14 days' notice of the date and time of the multiple-choice test.

### Practical assessment with questions-

- IEPA Assessor observed
- 12 hours over 2 days
- Min 6 questions
- Graded- Fail, Pass, Distinction
- Carpentry- Construction of a timber partition with turns and double doors.
- Joinery- Production of a window frame with curved head and a minimum one element of shaped window bar.

You can access the Craft C&J Assessment plan here



### Interview underpinned by portfolio of evidence

- IEPA delivered (virtually)
- 14 days notice of EPA Interview
- The independent assessor must have at least 2 weeks to review the supporting documentation.
- 10 questions
- 90 minutes (can be increased by 10%)
- Graded- Fail, Pass, Distinction
- The apprentice must have access to their portfolio of evidence during the interview
- The apprentice can refer to and illustrate their answers with evidence from their portfolio of evidence however, the portfolio of evidence is not directly assessed.

## Craft Carpentry & Joinery EPA Grading

### **MCQ** Test

Grade	Min Marks	Max Marks
Fail	0	24
Pass	25	32
Distinction	33	40

### Overall

MCQ Test	Practical w/Questions	Interview w/portfolio	Overall
Any grade	Fail	Any grade	Fail
Any grade	Any grade	Fail	Fail
Fail	Any grade	Any grade	Fail
Pass	Pass	Pass	Pass
Distinction	Pass	Pass	Pass
Pass	Distinction	Pass	Pass
Pass	Pass	Distinction	Pass
Distinction	Distinction	Pass	Merit
Pass	Distinction	Distinction	Merit
Distinction	Distinction	Distinction	Distinction

### Re-sits and Re-takes

- If a learner fails one or more assessment methods then they can re-sit or re-take those assessment methods.
- Re-sit/re-take has to be agreed by employer
- Re-sit no further learning required
- Re-take- further learning required
- Action plans required for apps to prepare for resit/re-take
- Re-sit is typically completed within 3 months of EPA outcome.
- Re-take is typically taken within 6 months of EPA outcome (depending on re-training requirements)
- Failed assessment methods must be taken within 6 months of EPA outcome notification, otherwise entire EPA will need to be re-taken in full
- Re-sits/re-takes not available for apprentices to improve on pass grades to higher grades.
- Maximum EPA grade of pass for re-sits/re-takes



## V1.2 Level 3 Advanced Carpenter and Joiner assessment overview 9079-31

1

#### **On-programme**

Typically 15 months before gateway assessment approach

#### Generic/technical knowledge and skills

Off the job training English and maths

(Level 1 & Level 2 achieved)

### Application of knowledge, skills and behaviours

On the job training and assessment

Development of portfolio of evidence to
demonstrate the KSBs that will be assessed by
oral questioning.

(typically, 15 pieces of discrete pieces of evidence)

Complete typically in last 10 months of apprenticeship

NEW version live 19 August 2023



#### Assessment gateway

#### IFATE link for revsiions

Trailblazer contact - for apprenticeship standard content and trailblazer membership queries only

### Gateway sign off from employer and provider.

Gateway sign off from employer and provider: Trainee demonstrating competency consistently at or above the occupational standard.

Portfolio of evidence complete English and Maths certificate C&G Level 3 Fire Door Qualification

### **Apprenticeship completion**

Grades = P/D

Resit available to pass grade only and must be taken within a six- month period - if not retake all



#### **End-point assessment**

Fully coordinated and delivered by an independent end-point assessment organisation

#### Knowledge test (eVolve)

40 m/c questions (70 mins)
Maximum 30 candidates
Remote Invigilation available
Min marks- Pass 25 Distinction 33

#### Practical skills test

12 hours (+10% per task, if needed) over two days. Minimum six oral questions.

Pass/Distinction

Assessor ratio 1:4

### Interview questioning underpinned by portfolio

Min 10 oral questions covering knowledge, skills and behaviours (90 mins) +10% if needed. P/D (F2F/Remote video conferencing)

Complete within 3 months of reaching gateway



### **EPA Processes**

### EPA support teams

Our End-point assessment Partnership Managers are on-hand to support you at every stage of EPA



Rebecca Hollamby Region: Midlands M: 07876 448 147 Rebecca.Hollamby @cityandguilds.com



Janice Collins
Region: North
M: 07872 463170
Janice.collins
@cityandguilds.com



Morice Hole
Region: Southwest
M: 07718 092138
Morice.hole
@cityandguilds.com



### **Approval Process**

### Existing Customers

Complete EPA application form in walled garden

Quality section> forms> epa application form

### New Customers

Complete epa enquiry form on website.

EPA Only Centre Enquiry Form | City & Guilds (cityandguilds.com)


Complete epa application form on walled garden

Quality section> forms> epa application form

## Flexible and timely service for EPA

- 24-hour gateway review
- 10-day average for ESFA certificate claims
- 7 working days for results issuing, after completion of the final assessment component.
- Meaningful apprentice feedback for all grading outcomes
- Clearly communicated lead times to support EPA date planning and bookings.
- Managers on hand to support with the process

### **Timelines for End-Point Assessment\***



<sup>\*</sup>Optional planning meetings only. Indicative timelines. All timings are working days and exact timings may vary due to provider requests for specific dates.

### Pre Gateway booking

Alternative booking process to allow you to plan epa in advance of the gateway process.

For further information and for access to the pre booking spreadsheet reach out to the EPA Partnership Managers

#### **EPA Venues**

Pre gateway will allow planning with external venues,

Coming soon EPA venue web page

Register on EPA pro and complete pre gateway request **Event takes place as normal** 5 weeks before planned date Minimum of 8 weeks **EPA** date in advance **Decision made - will event** go ahead or cancel

without charge, complete

gateway process





### **Unrivalled Support**

Industry Managers



8-8

Dedicated Business Managers



Technical Advisers

Newsletters





LinkedIn

Webinars





E-Mail Alerts

EPA
Partnership
Managers





Customer Support Advisers


SmartScreen
Digital content

WWW Website

### New SmartScreen, New Resources (Coming soon)

Level 2 30<sup>th</sup> Aug

Level 3 12<sup>th</sup> Aug



### **Hodder Education Text Books**


Colleagues at Hodder Education produce a wide range of suitable textbooks that supports the delivery of our qualifications and apprenticeships. Coverage in these textbooks cover:

- QCF VRQ Awards, Certificates, Diplomas
- Technicals
- Apprenticeships and EPAs
- Technicals
- T Levels
- Skills for Wales Qualifications

Our Hodder contact is Gemma Simpson

Gemma.Simpson@Hoddereducation.co.uk







### **Getting Involved**

Would you like to make a difference?

You can get involved in the development of future Green and Construction qualifications, assessments and support resources, working with us at City & Guilds as an Associate and Development Consultant.

You can scan the QR code or click <a href="here">here</a> to submit and declare your interest.





### Any Questions?

Thank you for your time